



China abec 9 Bearing Supplier



6200 Bearing 2D drawings and 3D CAD models

Japan NSK NTN KOYO Deep Groove Ball Bearings 6200 6201 6202 6203 6204 6205 6206 6207 6208 6209 6210 2RS for Motorcycle Axles

Bearing No. 6200

| | |
|-------------------------------|--------------------------|
| Size | 10x30x9 mm |
| Bore Diameter | 10 mm |
| Outer Diameter | 30 mm |
| Width | 9 mm |
| d | 10 mm |
| D | 30 mm |
| B | 9 mm |
| C | 9 mm |
| r min. | 0,6 mm |
| da min. | 14 mm |
| Da max. | 26 mm |
| ra max. | 0,6 mm |
| Weight | 0,032 Kg |
| Basic dynamic load rating (C) | 5,1 kN |
| Basic static load rating (C0) | 2,4 kN |
| (Grease) Lubrication Speed | 24000 r/min |
| (Oil) Lubrication Speed | 29000 r/min |
| Category | Single Row Ball Bearings |
| Inventory | 0.0 |
| Manufacturer Name | KOYO |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.035 |
| Product Group | B00308 |
| Enclosure | Open |



China abec 9 Bearing Supplier

| | |
|---------------------------------|---|
| Precision Class | ABEC 1 ISO P0 |
| Maximum Capacity / Filling Slot | No |
| Rolling Element | Ball Bearing |
| Snap Ring | No |
| Internal Special Features | No |
| Cage Material | Steel |
| Internal Clearance | C0-Medium |
| Inch - Metric | Metric |
| Long Description | 10MM Bore; 30MM Outside Diameter; 9MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features |
| Category | Single Row Ball Bearing |
| UNSPSC | 31171504 |
| Harmonized Tariff Code | 8482.10.50.68 |
| Noun | Bearing |
| Keyword String | Ball |
| Manufacturer URL | http://www.koyousa.com |
| Manufacturer Item Number | 6200 |
| Weight / LBS | 0.076 |
| Outer Race Width | 0.354 Inch 9 Millimeter |
| Bore | 0.394 Inch 10 Millimeter |
| Outside Diameter | 1.181 Inch 30 Millimeter |
| Bearing No. | 6200 |
| r(min) | 0.6 |
| Cr | 6.40 |
| C0r | 2.40 |
| Cu | 0.120 |
| f0 | 13.2 |
| Grease lub. | 24000 |
| | |



China abec 9 Bearing Supplier

| | |
|------------------|-------|
| Oil lub. | 29000 |
| da(min) | 14 |
| Da(max) | 26 |
| ra(max) | 0.6 |
| (Refer.)Mass(kg) | 0.032 |