



China abec 9 Bearing Supplier



6214 Bearing 2D drawings and 3D CAD models

SKF Ball Bearing 6214 6215 6216 6217 6218 6219 6220

Bearing No. 6214

Size	125x70x24 mm
Bore Diameter	125 mm
Outer Diameter	70 mm
Width	24 mm
d	70 mm
D	125 mm
B	24 mm
d ₁	87.05 mm
D ₂	111 mm
r _{1,2} - min.	1.5 mm
d _a - min.	79 mm
D _a - max.	116 mm
r _a - max.	1.5 mm
Basic dynamic load rating - C	63.7 kN
Basic static load rating - C ₀	45 kN
Fatigue load limit - P _u	1.9 kN
Reference speed	11000 r/min
Limiting speed	7000 r/min
Calculation factor - k _r	0.025
Calculation factor - f ₀	14.7
Category	Single Row Ball Bearings
Inventory	5.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A



China abec 9 Bearing Supplier

Weight / Kilogram	1.103
EAN	7316577293336
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	70MM Bore; 125MM Outside Diameter; 24MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	6214
Weight / LBS	2.42
Bore	2.756 Inch 70 Millimeter
Outer Race Width	0.945 Inch 24 Millimeter
Outside Diameter	4.921 Inch 125 Millimeter
d ₁	87.05 mm
D ₂	111 mm
r _{1,2} min.	1.5 mm



China abec 9 Bearing Supplier

d_a min.	79 mm
D_a max.	116 mm
r_a max.	1.5 mm
Basic dynamic load rating C	63.7 kN
Basic static load rating C_0	45 kN
Fatigue load limit P_u	1.9 kN
Calculation factor k_r	0.025
Calculation factor f_0	14.7
Mass bearing	1.09 kg